

**Conference Abstract** 

ACCESS

OPEN

# Synthesis of a drug discovery library for the identification of sigma receptors modulators

Giacomo Rossino<sup>‡</sup>, Marta Rui<sup>‡</sup>, Marcello Di Giacomo<sup>‡</sup>, Daniela Rossi<sup>‡</sup>, Simona Collina<sup>‡</sup>

‡ University of Pavia, Pavia, Italy

Corresponding author: Giacomo Rossino (giacomo.rossino01@universitadipavia.it)

Received: 10 Jul 2017 | Published: 17 Jul 2017

Citation: Rossino G, Rui M, Di Giacomo M, Rossi D, Collina S (2017) Synthesis of a drug discovery library for the identification of sigma receptors modulators. BioDiscovery 20: e14958. https://doi.org/10.3897/biodiscovery.20.e14958

#### Abstract

Sigma Receptors (SR) have been proposed as a valuable molecular target for the treatment of various diseases. Specifically, S1 receptor is mainly involved in neurodegenerative pathologiesCollina et al. 2013, Rossi et al. 2013b, while S2 receptor is related to cancerCollina et al. 2017. In the last years our research has been focused on the design, synthesis and pharmacological evaluation of new potential SR modulators based on arylalkenyl- and arylalkyl-aminic and (N-alkylaminoalkyl-substituted) arylalkenylamidic scaffoldsUrbano et al. 2007, Rossi et al. 2011, Rossi et al. 2013a, Marra et al. 2016. As a continuation of our ongoing research in the sigma field, herein we report on the design and preparation of a discovery library based on a new scaffold. The library design was carried out taking into account the synthetic feasibility, the commercial availability of building blocks as well as molecular modeling suggestions. Thus, an efficient and easy-to-use protocol, based on combined Microwave Assisted Organic Synthesis (MAOS), Polymer Assisted Solution Phase Synthesis (PASPS) and Solid Phase Extraction (SPE) was developed. Interestingly, the optimized procedure led us to prepare the designed library compounds with a purity > 95% suitable for biological screening.

Synthetic procedures applied for the preparation of desired compounds as well as preliminary binding data will be presented and discussed.

<sup>©</sup> Rossino G et al. This is an open access article distributed under the terms of the Creative Commons Attribution License (CC BY 4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

#### Keywords

Sigma 1 Receptor, Drug Discovery, Microwave Assisted Organic Synthesis, Polymer Assisted Solution Phase Synthesis, Solid Phase Extraction

### **Presenting author**

Giacomo Rossino

# Presented at

World BioDiscovery Congress 2017

## References

- Collina S, Gaggeri R, Marra A, Bassi A, Negrinotti S, Negri F, Rossi D (2013) Sigma receptor modulators: a patent review. Expert Opinion on Therapeutic Patents 23 (5): 597-613. <u>https://doi.org/10.1517/13543776.2013.769522</u>
- Collina S, Bignardi E, Rui M, Rossi D, Gaggeri R, Zamagni A, Cortesi M, Tesei A (2017) Are sigma modulators an effective opportunity for cancer treatment? A patent overview (1996-2016). Expert Opinion on Therapeutic Patents 27 (5): 565-578. <u>https://</u> doi.org/10.1080/13543776.2017.1276569
- Marra A, Rossi D, Pignataro L, Bigogno C, Canta A, Oggioni N, Malacrida A, Corbo M, Cavaletti G, Peviani M, Curti D, Dondio G, Collina S (2016) Toward the identification of neuroprotective agents: g-scale synthesis, pharmacokinetic evaluation and CNS distribution of (R)-RC-33, a promising Sigma1 receptor agonist. Future Medicinal Chemistry 8 (3): 287-295. <u>https://doi.org/10.4155/fmc.15.191</u>
- Rossi D, Marra A, Picconi P, Serra M, Catenacci L, Sorrenti M, Laurini E, Fermeglia M, Pricl S, Brambilla S, Almirante N, Peviani M, Curti D, Collina S (2013a) Identification of RC-33 as a potent and selective σ1 receptor agonist potentiating NGF-induced neurite outgrowth in PC12 cells. Part 2: g-Scale synthesis, physicochemical characterization and in vitro metabolic stability. Bioorganic & Medicinal Chemistry 21 (9): 2577-2586. https://doi.org/10.1016/j.bmc.2013.02.029
- Rossi D, Pedrali A, Gaggeri R, Marra A, Pignataro L, Laurini E, Col VD, Fermeglia M, Pricl S, Schepmann D, Wünsch B, Peviani M, Curti D, Collina S (2013b) Chemical, Pharmacological, and in vitro Metabolic Stability Studies on Enantiomerically Pure RC-33 Compounds: Promising Neuroprotective Agents Acting as σ1Receptor Agonists. ChemMedChem 8 (9): 1514-1527. https://doi.org/10.1002/cmdc.201300218
- Rossi D, Pedrali A, Urbano M, Gaggeri R, Serra M, Fernández L, Fernández M, Caballero J, Ronsisvalle S, Prezzavento O, Schepmann D, Wuensch B, Peviani M, Curti D, Azzolina O, Collina S (2011) Identification of a potent and selective σ1 receptor agonist potentiating NGF-induced neurite outgrowth in PC12 cells. Bioorganic & Medicinal Chemistry 19 (21): 6210-6224. https://doi.org/10.1016/j.bmc.2011.09.016

 Urbano M, Collina S, Rossi D, Baraglia A, Alcaro S, Artese A, Azzolina O (2007) Design and Synthesis of a (N-Alkylaminoalkyl-Substituted)Arylalkenylamide Drug Discovery Library. Letters in Drug Design & Discovery 4 (8): 605-610. <u>https://</u> doi.org/10.2174/157018007782794581